

600x1200mm



THE ART OF
BEAUTIFUL LIVING

STORY



It has been our pleasure to serve as one of Morbi's renowned tile companies. Monza is an ISO 9001:2008 & CE certified company. Since decade we have been procuring raw materials at Gujarat's Morbi region, the Ceramic hub of INDIA.

Our expertise dwells in manufacturing, plant maintenance, quality production and marketing of ceramic tiles. Deep understanding and knowledge of advanced technology from Italian ceramic machinery pioneer has enabled Monza to produce top class commodities.

Several lab tests are responsible for the unquestionable quality and fabulous finishing of each Monza tile.

However, though the Calibro Planar machine imported from Italy is no less than a magic by monitoring the dimensions and thickness of tiles. Sincerest efforts of our employees and team members are something that keeps us going smooth and growing.



www.monzagranito.com

DESIGNING
A BETTER FUTURE

SIZE




600x 1200 mm

Step into a world where elegance meets versatility with our 600x1200mm tiles a perfect blend of contemporary design and timeless appeal. Crafted with precision, these tiles redefine spaces with their seamless aesthetics and functional excellence.




Design Beyond Expectations



Immersing ourselves in the perfect blend of artisanal mastery and innovative technology, we unveil EternaQuartz, a surface that redefines modern luxury. Crafted to elevate your spaces with a harmonious union of contemporary sophistication and timeless design, it tells a story of enduring elegance. Its flawlessly smooth finish and subtle hues exude understated charm, while its robust composition ensures unparalleled durability. EternaQuartz balances form and function, creating a seamless flow of beauty and practicality.





DESIGNING A BETTER FUTURE

Immersing ourselves in the fusion of craftsmanship and cutting-edge technology, we present Opulent Stone, a surface that embodies the essence of sophistication. Designed to enrich your spaces with a seamless blend of heritage and modernity, it speaks a language of timeless allure. Its refined texture and delicate tones evoke an everlasting charm, ensuring a harmonious balance between aesthetic grace and functional excellence. With a finish that captivates the senses, Opulent Stone transforms every surface into a statement of elegance.

ADVANTAGES



Easy To Maintain



UV Resistant



Non-slip



Fire Resistant



Dimensional Stability



Resistant To Chemicals



Heat Resistant



Ecological



Water Proof



Frost Resistant

< APPLICATION



Living room



Bathroom



Kitchen



Bedroom



Restaurants



Malls



Parking lots



Offices

INDEX



ARCTICA STATUARIO



SPARK GREEN



ENDLESS BORGIO STATUARIO



ENDLESS ORACLE GOLD



ENDLESS PICASSO NATURAL



ENDLESS LANBRO WHITE



ENDLESS LANBRO CREMA



ENDLESS LANBRO SILVER



ENDLESS MERLIN BEIGE




ENDLESS OSSOLA GREY



ENDLESS POTOSI WHITE



ENDLESS AVIGON BEIGE




ENDLESS AVIGON BIANCO



ENDLESS AVIGON CREMA



ENDLESS AVIGON SILVER



Also Available
In Carving

INDEX



ENDLESS FINCH BIANCO



ENDLESS FINCH CREMA



ENDLESS FINCH SILVER



ENDLESS MONTAGE BIANCO



ENDLESS MONTAGE CREMA



ENDLESS MONTAGE GOLD



ENDLESS MONTAGE SILVER



ENDLESS SPINEL BINACO



ENDLESS SPINEL CREMA




ENDLESS SPINEL GREY




ENDLESS STATUARIO FLORIAN



ENDLESS BIANCO VENATO



ENDLESS CROZON BIANCO



ENDLESS CROZON CREMA



ENDLESS CROZON SILVER



Tap To
Explore
Each Product



Also Available
In Carving



ENDLESS LAVICA BIANCO



ENDLESS LAVICA CREMA



ENDLESS LAVICA GREY



ENDLESS POLARIS AQUA




ENDLESS PETRA BIANCO



ENDLESS PETRA CREMA



ENDLESS PETRA NATURAL



ENDLESS WONDER BIANCO



ENDLESS WONDER CREMA



ENDLESS ALAMU WHITE



ENDLESS BONITO AQUA



ENDLESS BONITO BEIGE



ENDLESS SILKY CREMA



ONYX ALABASTRINO



ONYX BLUE



ONYX GIODA



ONYX REALE



ONYX SKY



STATUARIO DELICATUO





ARCTICA STATUARIO




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





SPARK GREEN




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS BORGIO STATUARIO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS ORACLE GOLD





FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS PICASSO NATURAL




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO





ENDLESS LANBRO WHITE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS LANBRO CREMA



FINISH
GLOSSY


 Also Available
In Carving

SIZE
600X1200MM





ENDLESS LANBRO SILVER



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS MERLIN BEIGE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS OSSOLA GREY



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO



ENDLESS POTOSI WHITE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS AVIGON BEIGE




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS AVIGON BIANCO



FINISH
GLOSSY


 Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO



ENDLESS AVIGON CREMA




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS AVIGON SILVER



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS FINCH BIANCO



FINISH
GLOSSY

SIZE
600X1200MM





ENDLESS FINCH CREMA



FINISH
GLOSSY

SIZE
600X1200MM





ENDLESS FINCH SILVER



FINISH
GLOSSY

SIZE
600X1200MM





ENDLESS MONTAGE BIANCO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS MONTAGE CREMA



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS MONTAGE GOLD



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS MONTAGE SILVER




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO





ENDLESS SPINEL BIANCO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS SPINEL CREMA



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS SPINEL GREY



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS STATUARIO FLORIAN



FINISH
GLOSSY

SIZE
600X1200MM

monza
GRANITO



ENDLESS BIANCO VENATO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS CROZON BIANCO



FINISH
GLOSSY





Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS CROZON CREMA



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS CROZON SILVER



FINISH
GLOSSY



Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS LAVICA BIANCO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM







ENDLESS LAVICA CREMA



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM






ENDLESS LAVICA GREY



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS POLARIS AQUA





FINISH
GLOSSY




Also Available
In Carving

SIZE
600X1200MM





ENDLESS PIETRA BIANCO




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO



ENDLESS PIETRA CREMA




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ENDLESS PIETRA NATURAL



FINISH
GLOSSY





Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO





ENDLESS WONDER BIANCO



FINISH
GLOSSY




Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS WONDER CREMA






FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM






ENDLESS ALAMU WHITE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS BONITO AQUA




FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS BONITO BEIGE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ENDLESS SILKY CREMA



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ONYX ALABASTRINO






FINISH
GLOSSY



Also Available
In Carving

SIZE
600X1200MM





ONYX BLUE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza
GRANITO



ONYX GIODA




FINISH
GLOSSY



Also Available
In Carving

SIZE
600X1200MM





ONYX REALE



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM





ONYX SKY



FINISH
GLOSSY



Also Available
In Carving

SIZE
600X1200MM

monza
GRANITO





STATUARIO DELICATUO



FINISH
GLOSSY

 Also Available
In Carving

SIZE
600X1200MM



monza

Technical specification of monza glazed vitrified tile

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B1A	MEAN VALUE OF MONZA PGVT	MEAN VALUE OF MONZA GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²	Min. 35 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1700 N	Min. 1700 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

Packing detail

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9 mm	2 pcs.	1.44 sq. mtr.	29 kgs.

Tiles laying instructions

- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tilling.
- Before fixing MONZA GVT, lay them out in desired pattern and make sure that they give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WILL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing MONZA GVT, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing MONZA GVT on the floor using sand and cement follow the instructions given below:
 - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
 - Once the mixing has been completed do not add any further water and the same within one hour.
 - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. Press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing MONZA GVT on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on Dado.
- Mark and lay out the tiles from the center of the area to be tiles so that cut tiles. If any will be on the outer edges towards the walls.
- The work size which we try to maintain for better technical performance is 600x1200mm & 195x1200mm on average. It is advisable to maintain a gap of 1mm to 2mm between every two tiles to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the MONZA GVT firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned by mild acid (However Hydrofluoric Acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.



MONZA GRANITO PVT. LTD.

📍 : Regd. Office: Survey No. 151, Jetpar Road,
At. Bela, Morbi - 363 642, Gujarat, INDIA

☎ : +91 97122 65000

✉ : marketing.monzagrano@gmail.com



Instagram



Facebook



Catalogue