



600x1200mm



ARTFUL PRECISION

STORY

It has been our pleasure to serve as one of Morbi's renowned tile companies. Monza is an ISO 9001:2008 & CE certified company. Since decade we have been procuring raw materials at Gujarat's Morbi region, the Ceramic hub of INDIA.

Our expertise dwells in manufacturing, plant maintenance, quality production and marketing of ceramic tiles. Deep understanding and knowledge of advanced technology from Italian ceramic machinery pioneer has enabled Monza to produce top class commodities.

Several lab tests are responsible for the unquestionable quality and fabulous finishing of each Monza tile.

However, though the Calibro Planar machine imported from Italy is no less than a magic by monitoring the dimensions and thickness of tiles. Sincerest efforts of our employees and team members are something that keeps us going smooth and growing.





www.monzagrano.com

REDEFINING
YOUR LIVING SPACE



6
x 12

Experience the perfect fusion of style and adaptability with our 600x1200mm tiles. Designed for modern elegance and lasting charm, these tiles bring seamless beauty and superior functionality to any space. Crafted with precision, they transform interiors with effortless sophistication.




Refresh, Revive, Redesign

Embracing the synergy of expert craftsmanship and cutting-edge technology, we introduce EternaQuartz a surface that reimagines modern luxury. Designed to enhance your spaces with a perfect blend of contemporary elegance and timeless aesthetics, it embodies lasting sophistication. With its impeccably smooth texture and refined hues, it radiates subtle charm, while its durable composition guarantees exceptional strength. EternaQuartz seamlessly merges style and functionality, bringing a perfect balance of beauty and resilience.


Luxury Lives Here

Delving into the perfect blend of artistry and innovation, we introduce Opulent Stone—a surface that defines true sophistication. Created to elevate your spaces with a seamless fusion of tradition and contemporary style, it exudes timeless charm. Its exquisite texture and soft hues bring an enduring elegance, striking the ideal balance between beauty and practicality. With a finish that captivates the eye and the touch, Opulent Stone turns every surface into a masterpiece of refinement.





600x
1200mm



Discover the perfect harmony of style and functionality with our 600x1200mm matte tiles. Designed for modern sophistication, these tiles offer a refined, velvety texture that enhances interiors with understated charm. Their seamless finish not only elevates aesthetics but also ensures durability and ease of maintenance. Transform your spaces with a touch of elegance, precision-crafted for those who appreciate effortless beauty.

Unleash Your Style

ADVANTAGES



Easy To Maintain



UV Resistant



Non-slip



Fire Resistant



Dimensional Stability



Resistant To Chemicals



Heat Resistant



Ecological



Water Proof



Frost Resistant

APPLICATION



Living room



Bathroom



Kitchen



Bedroom



Restaurants



Malls



Parking lots



Offices



MAGMA BIANCO
DECORE



MAGMA SILVER
DECORE



MAGMA SILVER



MAGMA NERO
DECORE



MAGMA NERO



MAGMA CREMA
DECORE



MAGMA CREMA



MAGMA SAND
DECORE



MAGMA SAND



EMIL BIANCO
DECORE



EMIL SILVER
DECORE



EMIL SILVER



EMIL NERO
DECORE



EMIL NERO



EMIL CREMA
DECORE




EMIL CREMA



EMILE SAND
DECORE



EMILE SAND



FOSSIL BIANCO
DECORE



FOSSIL SILVER
DECORE



FOSSIL SILVER



FOSSIL NERO
DECORE



FOSSIL NERO



FOSSIL CREMA
DECORE



FOSSIL CREMA



FOSSIL SAND
DECORE



FOSSIL SAND



FOSSIL GREY
DECORE



FOSSIL GREY



SPIGA BIANCO
DECORE



SPIGA SILVER
DECORE



SPIGA SILVER



SPIGA NERO
DECORE



SPIGA NERO



SPIGA CREMA
DECORE



SPIGA CREMA



SPIGA SAND
DECORE



SPIGA SAND




SPIGA TAUPE





MAGMA BIANCO DECORE



MAGMA BIANCO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



MAGMA BIANCO

monza
GRANITO



MAGMA SILVER DECORE



MAGMA SILVER



SIZE
600x1200mm

FINISH
MATT

SURFACE
NR

RANDOM
4



MAGMA SILVER

monza
GRANITO



MAGMA NERO DECORE



MAGMA NERO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4




MAGMA NERO

monza
GRANITO



MAGMA CREMA DECORE



MAGMA CREMA



SIZE
600x1200mm

FINISH
MATT

SURFACE
NR

RANDOM
4



MAGMA CREMA


monza
GRANITO



MAGMA SAND DECORE



MAGMA SAND



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



MAGMA SAND

monza
GRANITO



EMIL BIANCO DECORE



EMIL BIANCO



SIZE
600x1200mm

FINISH
MATT

SURFACE
NR


RANDOM
4



EMIL BIANCO



monza
GRANITO



EMIL SILVER DECORE



EMIL SILVER



SIZE
600x1200mm

FINISH
MATT


SURFACE
NR

RANDOM
4




EMIL SILVER



monza
GRANITO



EMIL NERO DECORE



EMIL NERO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



EMIL NERO

monza
GRANITO



EMIL CREMA DECORE



EMIL CREMA



SIZE

600x1200mm

FINISH


MATT

SURFACE

NR


RANDOM

4



EMIL CREMA


monza
GRANITO



EMIL SAND DECORE



EMIL SAND



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR


RANDOM

4



EMIL SAND

monza
GRANITO



FOSSIL BIANCO DECOR



FOSSIL BIANCO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR


RANDOM

4



FOSSIL BIANCO


monza
GRANITO



FOSSIL SILVER DECOR



FOSSIL SILVER



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR


RANDOM

4




FOSSIL SILVER



monza
GRANITO



FOSSIL NERO DECOR



FOSSIL NERO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR


RANDOM

4



FOSSIL NERO


monza
GRANITO



FOSSIL CREMA DECOR



FOSSIL CREMA



SIZE
600x1200mm

FINISH
MATT


SURFACE
NR

RANDOM
4



FOSSIL CREMA

monza
GRANITO



FOSSIL SAND DECOR



FOSSIL SAND



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR


RANDOM

4



FOSSIL SAND

monza
GRANITO



FOSSIL GREY DECOR



FOSSIL GREY



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



FOSSIL GREY

monza
GRANITO



SPIGA BIANCO DECORE



SPIGA BIANCO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



SPIGA BIANCO

monza
GRANITO



SPIGA SILVER DECORE



SPIGA SILVER



SIZE
600x1200mm

FINISH
MATT

SURFACE
NR

RANDOM
4



SPIGA SILVER

monza
GRANITO



SPIGA NERO DECOR



SPIGA NERO



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



SPIGA NERO


monza
GRANITO



SPIGA CREMA DECOR



SPIGA CREMA



SIZE

600x1200mm

FINISH


MATT

SURFACE

NR

RANDOM

4



SPIGA CREMA

monza
GRANITO



SPIGA SAND DECOR



SPIGA SAND



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



SPIGA SAND

monza
GRANITO



SPIGA TAUPE DECOR



SPIGA TAUPE



SIZE

600x1200mm

FINISH

MATT

SURFACE

NR

RANDOM

4



SPIGA TUPE

monza
GRANITO

Technical specification of monza glazed vitrified tile

| CHARACTERISTIC | STANDARD AS PER ISO-13006/EN14411 GROUP B1A | MEAN VALUE OF MONZA PGVT | MEAN VALUE OF MONZA GVT | TEST METHOD |
|--|---|-----------------------------|-----------------------------|--------------|
| REGULATORY PROPERTIES | | | | |
| Deviation in length & width | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Deviation in thickness | ±5.0% | ±4.0 % | ±4.0 % | ISO-10545-2 |
| Straightness in side | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Rectangularity | ±0.6 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Surface flatness | ±0.5 % | ±0.2 % | ±0.2 % | ISO-10545-2 |
| Color difference | Unaltered | No change | No change | ISO-10545-16 |
| Glossiness | As per mfg | Min 90% | Min 4% | GLOSSOMETER |
| SURFACE MECHANICAL PROPERTIES | | | | |
| Water absorption | < 0.50 % | < 0.20 % | < 0.20 % | ISO-10545-3 |
| Apparent density | > 2.0 g/cc | > 2.10 g/cc | > 2.10 g/cc | DIN 51082 |
| MASSIVE MECHANICAL PROPERTIES | | | | |
| Modulus of rupture | Min. 35 N/mm ² | Min. 35 N/mm ² | Min. 35 N/mm ² | ISO-10545-4 |
| Breaking strength | Min. 1300 N | Min. 1700 N | Min. 1700 N | ISO-10545-4 |
| Impact resistance | As per mfg. | Min. 0.55 | Min. 0.55 | ISO-10545-5 |
| SURFACE MECHANICAL PROPERTIES | | | | |
| Surface abrasion resistance | As per mfg | Min. Class-3 | Min. Class-4 | ISO-10545-7 |
| MOH's hardness | As per mfg | Min. 4 | Min. 5 | EN 101 |
| THERMO HYGROMETRIC PROPERTIES | | | | |
| Frost resistance | No damage | No damage | No damage | ISO-10545-12 |
| Thermal shock resistance | No damage | No damage | No damage | ISO-10545-9 |
| Moisture expansion | Nil | Nil | Nil | ISO-10545-10 |
| Thermal expansion (COE) | Max. 9.0 x 10 ⁻⁶ | Max. 6.5 x 10 ⁻⁶ | Max. 6.5 x 10 ⁻⁶ | ISO-10545-8 |
| Crazing resistance | As per mfg | Min. 10 Cycle | Min. 10 Cycle | ISO-10545-11 |
| CHEMICAL PROPERTIES | | | | |
| Chemical resistance | No damage | No damage | No damage | ISO-10545-13 |
| Stain resistance | Resistant | Resistant | Resistant | ISO-10545-14 |
| SAFETY PROPERTIES | | | | |
| Slip resistance | As per mfg | > 0.40 | > 0.40 | ISO-10545-17 |
| Fire resistance | As per mfg | Fireproof | Fireproof | N. A. |
| Lead & Cadmium given off by glazed tiles | As per mfg | Does not yield | Does not yield | ISO-10545-15 |
| | | Pb & Cd | Pb & Cd | |

Packing detail

| Size | Thickness (approx.) | Pieces / Box | Area / Box | Wt / Box (approx.) |
|------------|---------------------|--------------|---------------|--------------------|
| 600x1200mm | 9 mm | 2 pcs | 1.44 sq. mtr. | 28 kgs. |

Tiles laying instructions

- 01 Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tiling.
- 02 Before fixing MONZA GVT, lay them out in desired pattern and make sure that they give acceptable blend of colour. Please note that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WILL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- 03 For fixing MONZA GVT, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- 04 For fixing MONZA GVT on the floor using sand and cement follow the instructions given below:
 - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
 - Once the mixing has been completed do not add any further water and the same within one hour.
 - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. Press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- 05 For fixing MONZA GVT on dado, we recommend the use of adhesive. Please follow the manufacturer's instructions for the same. We do not recommend the use of sand and cement for fixing on Dado.
- 06 Mark and lay out the tiles from the center of the area to be tiles so that cut tiles. If any will be on the outer edges towards the walls.
- 07 The work size which we try to maintain for better technical performance is 600x1200mm & 195x1200mm on average. It is advisable to maintain a gap of 1mm to 2mm between every two tiles to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- 08 Complete the tile laying process by pressing the center of the MONZA GVT firmly into place along the walls/floors.
- 09 Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- 10 Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned by mild acid (However Hydrofluoric Acid and its derivatives should not be used)
- 11 Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.



MONZA GRANITO PVT. LTD.

📍 : Regd. Office: Survey No. 151, Jetpar Road,
At. Bela, Morbi - 363 642, Gujarat, INDIA

📞 : +91 97122 65000

✉️ : marketing.monzagranito@gmail.com



Instagram



Facebook



Catalogue